

PRODUCT DATA

Revision Date 06/16jg Page 1 of 2























Extra HD EPX Gear Oils

API GL-5 Gear & Transmission Fluids Product Code: A2A, A2B, A2C

Product Description

Pennine Extra HD EPX Gear Oils are high performance, multi-purpose gear lubricants. Formulated using the finest quality solvent refined base stocks combined with carefully chosen extreme pressure additives to give the required performance characteristics to ensure long and trouble-free component and oil service life.

Applications

Pennine Extra HD EPX Gear Oils are primarily recommended for use in hypoid axle units but are also suitable for use in manual gearboxes, auxiliary gearboxes, transaxles and final drives in cars, light commercials, buses and trucks, where an API GL-5 type lubricant is specified. They provide maximum protection where gear loadings are high and also offer protection for gears and bearings against rust, wear and corrosion and are compatible with all conventional seal materials. They can be used at oil temperatures up to 1000C, possessing high thermal and chemical stability and have excellent resistance to foaming.

Performance Specifications

Pennine Extra HD EPX Gear Oils exceed the requirements of API GL-5, MIL-L-2105D, MS 1316 and CS3000A.

32 Atlas Way.

Sheffield, S4 7QQ

Typical Test Data

SAE Classification	80	80w/90	85w/140
Specific Gravity @ 60°F	0.88	0.89	0.9
K.V. @ 40°C cSt	77	140	430
K.V. @ 100°C cSt	909	15	30
Flash Point (IP35) °C	218	225	271
Pour Point (IP15) °C	-33	-35	-20
Viscosity Index	110	100	100









PRODUCT DATA

Revision Date 06/16jg Page 2 of 2





Extra HD EPX Gear Oils

API GL-5 Gear & Transmission Fluids Product Code: A2A, A2B, A2C



Availability

Pennine Extra HD EPX Gear Oils are available in bulk, 1000 litre IBC's, 205 litre barrels, 25 litre drums, 5 litre & 1 litre plastic bottles.



Storage

Health & Safety

Barrels of lubricant should always be stored in such a way that will prevent the ingress of water when stored in the open.



Please refer to the relevant Health and Safety Data Sheet, a copy of which is freely available to all our customers.



Data represented is typical of that obtained with normal production tolerances and does not constitute a specification. The policy of Pennine Lubricants is one of continual improvement, we therefore reserve the right to change specifications without notice.















