

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: PENNINE BIOGUARD CCF

· Product Code: HS0102

· Registration number Mixture

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category PC37 Water treatment chemicals

· Application of the substance / the mixture pH-corrective agent

· Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

Processes involving extreme heat use advised against.

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Pennine Lubricants Ltd

32 Atlas Way

Sheffield

S4 7QQ

Tel: 0114 285 2987

Email: Admin@penninelubricants.co.uk

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 1 H400 Very toxic to aquatic life.

· 2.2 Label elements

· Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

MEA-Boric Acid neutralisation product

· Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

GB

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 1)

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulations.

Additional information:

EUH208 Contains Sodium pyridine thione. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Neutralisation product	MEA-Boric Acid neutralisation product ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	50 – 100%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-XXXX	2-Aminoethanol ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 ATE: LD50 dermal: 1,100 mg/kg LC50/4 h inhalative: 11 mg/l Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	1 – < 2.5%
Neutralisation product	Etidronic acid, neutralised ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319 ATE: LD50 oral: 500 mg/kg	1 – 2.5%
CAS: 3811-73-2 EINECS: 223-296-5 Index number: 613-344-00-7 Reg.nr.: 01-2119493385-28-XXXX	Sodium pyridine thione ⚠ Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT RE 1, H372; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070 ATE: LD50 oral: 500 mg/kg LD50 dermal: 790 mg/kg LC50/4 h inhalative: 0.5 mg/l	0.25 – < 1%

Additional information:

Neutralisation products are exempt from registration in accordance with UK REACH Annex V, 4.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 2)

- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Boron compounds
Nitrogen oxides (NO_x)
Sulphur Oxides (SO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Safety showers and eye wash facilities should be available at the work area.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:**

Do not store together with oxidising and acidic materials.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Protect from heat and direct sunlight.

· **Storage class:** 10

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 141-43-5 2-Aminoethanol

WEL	Short-term value: 7.6 mg/m ³ , 3 ppm
	Long-term value: 2.5 mg/m ³ , 1 ppm
	Sk

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Do not carry product impregnated cleaning cloths in trouser pockets.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 4)

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling

- **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

· Physical state	Liquid
· Colour:	Yellowish
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (CAS: 7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>100 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	10.5
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)
· Density and/or relative density	
· Density at 20 °C:	1.18 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

- **9.2 Other information**

- **Appearance:**

· **Form:** Fluid

(Contd. on page 6)

GB

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 5)

· **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:** Product is not self-igniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC (EC)** 2.45 %
- **Change in condition**
- **Evaporation rate** Not determined.

· **Information with regard to physical hazard classes**

- **Explosives** Not applicable
- **Flammable gases** Not applicable
- **Aerosols** Not applicable
- **Oxidising gases** Not applicable
- **Gases under pressure** Not applicable
- **Flammable liquids** Not applicable
- **Flammable solids** Not applicable
- **Self-reactive substances and mixtures** Not applicable
- **Pyrophoric liquids** Not applicable
- **Pyrophoric solids** Not applicable
- **Self-heating substances and mixtures** Not applicable
- **Substances and mixtures, which emit flammable gases in contact with water** Not applicable
- **Oxidising liquids** Not applicable
- **Oxidising solids** May intensify fire; oxidiser.
- **Organic peroxides** Not applicable
- **Corrosive to metals** Not applicable
- **Desensitised explosives** Not applicable

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Gives off toxic and irritant fumes on heating or burning.
- **10.3 Possibility of hazardous reactions** Reacts with acids.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:** Strong acids and oxidising agents
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Boron compounds
Nitrogen oxides (NO_x)
Sulphur oxides (SO_x)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	16,595 mg/kg
Dermal	LD50	44,898 mg/kg
Inhalative	LC50/4 h	448.98 mg/l

(Contd. on page 7)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 6)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

- **Additional toxicological information:**

ROUTES OF EXPOSURE: Can be absorbed into the body by inhalation and by ingestion.

Repeated or prolonged skin contact may induce sensitisation.

Current and relevant legislation requires exposure to metalworking fluids by inhalation, ingestion or skin contact to be prevented where reasonably practicable, or failing that, adequately controlled.

Exposure to metalworking fluids can cause irritation of the skin, dermatitis and breathing problems following repeated exposure. Additionally, if not controlled properly, fluid systems that contain water-mixes can become highly contaminated with microorganisms. These organisms, their metabolites and their remains can affect human health if they should enter the breathing zones of workers and other persons leading to chronic respiratory diseases. Such contamination of fluids and associated machinery and pipework must be appropriately monitored and controlled. Direct means of measuring such contamination must be used in conjunction with other relevant checks on fluid quality. Also, systems containing water-mixes must be appropriately cleaned on a regular basis.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Very toxic for aquatic organisms
Also poisonous for fish and plankton in water bodies.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

— GB —

(Contd. on page 8)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 7)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **UK List of Waste**

12 00 00	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01 00	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 09*	machining emulsions and solutions free of halogens

- **Uncleaned packaging:**

- **Recommendation:**


Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA 	UN3082
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG · IATA 	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium pyridine thione) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium pyridine thione), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium pyridine thione)
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR/RID/ADN 	
	
<ul style="list-style-type: none"> · Class 	9 (M6) Miscellaneous dangerous substances and articles.

(Contd. on page 9)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended



Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 8)

· Label	9
· IMDG	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	90
· Hazchem Code:	•3Z
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197.
· ADR/RID/ADN	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM PYRIDINE THIONE), 9, III

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 9)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· Regulated explosives precursors
None of the ingredients are listed.

· Regulated poisons
None of the ingredients are listed.

· Reportable explosives precursors
None of the ingredients are listed.

· Reportable poisons
None of the ingredients are listed.

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **COMAH category E1**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H331 Toxic if inhaled.
 H332 Harmful if inhaled.
 H335 May cause respiratory irritation.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 EUH070 Toxic by eye contact.

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 10.06.2025

Version number 2

Revision: 10.06.2025

PENNINE BIOGUARD CCF

(Contd. of page 10)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * **Data compared to the previous version altered.**

GB